


SYSTEM LIGHTBOX PANELCO.ART

LIGHTBOXES - REMOTE - POWER SUPPLY - FRAMES - ACCESSORIES




LIGHTBOX A - S (570)


DIMENSIONS	570 x 570 x 30,5 mm
WEIGHT	5,35 KG
POWER SUPPLY	24V DC - MIN. 1,25A
POWER INPUT	24W
LED LIGHTING	TEMPERATURE FROM 2700K TO 5700K, LIFETIME 50 000 h
LUMINOUS LUMINANCE	2000 lm
FRAME	MATERIAL: ANODISE BRUSHED ALUMINIUM COLOURS: BLACK/ SILVER/ BRASS

ACCESSORIES INCLUDED

 1x WALL MOUNT
4x SPACER "S"


1x CABLE 2M



1 x ALLEN KEY

PRICE	PAN.PA.S.S - SILVER PAN.PA.S.B - BLACK PAN.PA.S.M - BRASS	360 €
-------	---	-------


LIGHTBOX A - L (823)


DIMENSIONS	570 x 823 x 30,5 mm
WEIGHT	7,35 KG
POWER SUPPLY	24V DC - MIN. 1,6A
POWER INPUT	35W
LED LIGHTING	TEMPERATURE FROM 2700K TO 5700K, LIFETIME 50 000 h
LUMINOUS LUMINANCE	3000 lm
FRAME	MATERIAL: ANODISE BRUSHED ALUMINIUM COLOURS: BLACK/ SILVER/ BRASS

ACCESSORIES INCLUDED


 1x WALL MOUNT
4x SPACER "S"


1x CABLE 2M



1x ALLEN KEY

PRICE	PAN.PA.M.S - SILVER PAN.PA.M.B - BLACK PAN.PA.M.M - BRASS	456 €
-------	---	-------


LIGHTBOX L (1140)


DIMENSIONS	570 x 1140 x 30,5 mm
WEIGHT	10,2 KG
POWER SUPPLY	24V DC - MIN. 2,5A
POWER INPUT	48W
LED LIGHTING	TEMPERATURE FROM 2700K TO 5700K, LIFETIME 50 000 h
LUMINOUS LUMINANCE	4000 lm
FRAME	MATERIAL: ANODISE BRUSHED ALUMINIUM COLOURS: BLACK/ SILVER/ BRASS

ACCESSORIES INCLUDED


 2x WALL MOUNT
8x SPACER "S"
1x CONNECTOR


1x CABLE 2M



1x ALLEN KEY

PRICE	PAN.PA.L.S - SILVER PAN.PA.L.B - BLACK PAN.PA.L.M - BRASS	495 €
-------	---	-------


LIGHTBOX B - S (570)


DIMENSIONS	570 x 570 x 30,5 mm
WEIGHT	5,35 KG
POWER SUPPLY	24V DC - MIN. 1,25A
POWER INPUT	24W
LED LIGHTING	TEMPERATURE FROM 2700K TO 5700K, LIFETIME 50 000 h
LUMINOUS LUMINANCE	2000 lm
FRAME	MATERIAL: ANODISE BRUSHED ALUMINIUM COLOURS: BLACK/ SILVER/ BRASS

ACCESSORIES INCLUDED


1x WALL MOUNT
4x SPACER "S"



1x CABLE 2M



1x ALLEN KEY

PRICE	PAN.PB.S.S - SILVER PAN.PB.S.B - BLACK	394 €
-------	---	-------


LIGHTBOX B - M (823)


DIMENSIONS	570 x 823 x 30,5 mm
WEIGHT	7,35 KG
POWER SUPPLY	24V DC - MIN. 1,6A
POWER INPUT	35W
LED LIGHTING	TEMPERATURE FROM 2700K TO 5700K, LIFETIME 50 000 h
LUMINOUS LUMINANCE	3000 lm
FRAME	MATERIAL: ANODISE BRUSHED ALUMINIUM COLOURS: BLACK/ SILVER/ BRASS

ACCESSORIES INCLUDED


1x WALL MOUNT
4x SPACER "S"



1x CABLE 2M



1x ALLEN KEY

PRICE	PAN.PB.M.S - SILVER PAN.PB.M.B - BLACK	517 €
-------	---	-------


LIGHTBOX B - L (1140)


DIMENSIONS	570 x 1140 x 30,5 mm
WEIGHT	10,2 KG
POWER SUPPLY	24V DC - MIN. 2,5A
POWER INPUT	48W
LED LIGHTING	TEMPERATURE FROM 2700K TO 5700K, LIFETIME 50 000 h
LUMINOUS LUMINANCE	4000 lm
FRAME	MATERIAL: ANODISE BRUSHED ALUMINIUM COLOURS: BLACK/ SILVER/ BRASS

ACCESSORIES INCLUDED


2x WALL MOUNT
8x SPACER "S"
1x CONNECTOR



1x CABLE 2M



1x ALLEN KEY

PRICE	PAN.PB.L.S - SILVER PAN.PB.L.B - BLACK	562 €
-------	---	-------


MAGNETIC REMOTE S1

DIMENSIONS	fi 70mm, h 24 mm
RANGE	30 M
OPERATING TEMP.	-20 ~ 60°C
COMM. BAND	2.4 G
POWER SUPPLY	2x AAA
FIXING	ON THE WALL/ BY MAGNETIC

PRICE
 PAN.ZS.SPO1W 17 €
 PAN.ZS.SPO1B


CONTROL MODULE FUTO35W+

DIMENSIONS	74,5 x36 x 17 mm
VOLTAGE	12 / 24 V DC
OUTPUT POWER	12A / KANAŁ
TOTAL OUTPUT POWER	12A

RANGE
 30m - PILOT
 ∞ - STEROWANIE Z APLIKACJI

OPERATING TEMP.	-10 ~ 40°C
COMM. BAND	Wi-Fi + Bluetooth + 2.4G
MODULE UNDER PANEL	YES

PRICE
 PAN.ZS.SM01 28 €


MEAN WELL LRS-35-24
INTERNAL POWER SUPPLY

DIMENSIONS	99 x 82 x 30mm
I OUTPUT / U OUTPUT / P	1,5 A / 24V DC / 36W
OPERATING TEMP.	-30 ~ 70°C
POWER SUPPLY	85 ~ 264V AC
APPLICATION	1x PANEL 570

UNDER PANEL
 YES
 MINIMUM WITH SPACERS "M"
 PRICE
 PAN.ZS.ZZ01 14 €


MEAN WELL LRS-75-24

DIMENSIONS	99 x 97 x 30mm
I OUTPUT / U OUTPUT / P	3,2 A / 24V DC / 76W
OPERATING TEMP.	-30 ~ 70°C
POWER SUPPLY	85 ~ 264V AC
APPLICATION	2x PANEL 570 or 1x PANEL 823 or 1x PANEL 1140

UNDER PANEL
 YES
 MINIMUM WITH SPACERS "M"
 PRICE
 PAN.ZS.ZZ02 17 €


MEAN WELL LRS-150-24

DIMENSIONS	97 x 159 x 30mm
I OUTPUT / U OUTPUT / P	6,5 A / 24V DC / 156W
OPERATING TEMP.	-30 ~ 70°C
POWER SUPPLY	85 ~ 264V AC
APPLICATION	4x PANEL 570 or 3x PANEL 823 or 2x PANEL 1140

UNDER PANEL
 YES
 IN A FLUSH BOX
 PRICE
 PAN.ZS.ZZ03 23 €


EXTERNAL POWER SUPPLY

DIMENSIONS	122 x 60 x 36mm
I OUTPUT / U OUTPUT / P	3 A / 24V DC / 72W
OPERATING TEMP.	-30 ~ 70°C
POWER SUPPLY	110 ~ 230V AC
CABLES	DC: 90 cm / AC 110 cm
PLUG	2,1 / 5,5mm prosty
APPLICATION	2x PANEL 570 or 1x PANEL 823 or 1x PANEL 1140

PRICE
 PAN.ZS.ZG01 13 €


BLOW 24V 5A

DIMENSIONS	143 x 60 x 36mm
I OUTPUT / U OUTPUT / P	5 A / 24V DC / 120W
OPERATING TEMP.	-30 ~ 70°C
POWER SUPPLY	110 ~ 230V AC
CABLES	DC: 90 cm / AC 110 cm
PLUG	2,1 / 5,5mm prosty
APPLICATION	4x PANEL 570 or 2x PANEL 823 or 2x PANEL 1140

PRICE
 PAN.ZS.ZG02 19 €



CABLE

Q-TY OF CONDUCTORS	3
LENGHT	2 M
VOLTAGE	MAX 24V

PRICE
 PAN.ZS.P01 3 €


FLUSH MOUNTED BOX

DIMENSIONS	185 x 185 x 70mm
PRICE	PAN.ZS.PP01 5 €



	SHEET PC T / S / 2	SHEET PC T / M / 2	SHEET PC T / L / 2
DIMENSIONS	567 x 567 mm	567 x 820 mm	567 x 1137 mm
THICKNESS	2 mm	2 mm	2 mm
MATERIAL	PC transparent	PC transparent	PC transparent
PRICE	[PAN.P.F.PCT.S.02] 7 €	[PAN.P.F.PCT.M.02] 14 €	[PAN.P.F.PCT.L.02] 20 €

	SHEET PC T / S / 3	SHEET PC T / M / 3	SHEET PC T / L / 3
DIMENSIONS	567 x 567 mm	567 x 820 mm	567 x 1137 mm
THICKNESS	3 mm	3 mm	3 mm
MATERIAL	PC transparent	PC transparent	PC transparent
PRICE	[PAN.P.F.PCT.S.03] 9 €	[PAN.P.F.PCT.M.03] 16 €	[PAN.P.F.PCT.L.03] 23 €

	SHEET PC O / S / 3F	SHEET PC O / M / 3F	SHEET PC O / L / 3F
DIMENSIONS	567 x 567 mm	567 x 820 mm	567 x 1137 mm
THICKNESS	3 mm	3 mm	3 mm
MATERIAL	PC OPAL, milled edge glowing effect to the edges	PC OPAL, milled edge glowing effect to the edges	PC OPAL, milled edge glowing effect to the edges
PRICE	[PAN.P.F.PCO.S.03F] 12 €	[PAN.P.F.PCO.M.03F] 18 €	[PAN.P.F.PCO.L.03F] 27 €

	SHEET PMMA T / S / 4	SHEET PMMA T / M / 4	SHEET PMMA T / L / 4
DIMENSIONS	567 x 567 mm	567 x 820 mm	567 x 1137 mm
THICKNESS	4 mm	4 mm	4 mm
MATERIAL	PMMA transparent edge shading effect	PMMA transparent edge shading effect	PMMA transparent edge shading effect
PRICE	[PAN.P.F.PMT.S.04] - from 2024	[PAN.P.F.PMT.M.04] - from 2024	[PAN.P.F.PMT.L.04] - from 2024

	SHEET PMMA O / S / 5	SHEET PMMA O / M / 5	SHEET PMMA O / L / 5
DIMENSIONS	567 x 567 mm	567 x 820 mm	567 x 1137 mm
THICKNESS	5 mm	5 mm	5 mm
MATERIAL	PMMA OPAL	PMMA OPAL	PMMA OPAL
PRICE	[PAN.P.F.PMO.S.05] 22 €	[PAN.P.F.PMO.M.05] 34 €	[PAN.P.F.PMO.L.05] 44 €



	FRAME: ALU-CLICK S	FRAME: ALU-CLICK M	FRAME: ALU-CLICK L
wymiary	8 x 33 mm (frame width x depth) - external dimension 573,2 x 573,2 mm; - internal dimension 557,2 x 557,2 mm;	8 x 33 mm (frame width x depth) - external dimension 573,2 x 826,2 mm; - internal dimension 557,2 x 810,2 mm;	8 x 33 mm (frame width x depth) - external dimension 573,2 x 1143,2 mm; - internal dimension 557,2 x 1127,2 mm;
montaż	click	click	click
zastosowanie	LightBox S type "A" (without inner clamps)	LightBox M type "A" (without inner clamps)	LightBox L type "A" (without inner clamps)
materiał	aluminium		
kolor	silver, black		
uwagi	1. Necessity to use a holder with distances of min. M 2. Max. thickness of the illuminated material 3 mm.		
cena	[PAN.P.R.A8.33.S.S] 23€ [PAN.P.R.A8.33.S.B] 24€	[PAN.P.R.A8.33.M.S] 28€ [PAN.P.R.A8.33.M.B] 30€	[PAN.P.R.A8.33.L.S] 31€ [PAN.P.R.A8.33.L.B] 32€



	FRAME: ALU-ON-CLAMP S	FRAME: ALU-ON-CLAMP M	FRAME: ALU-ON-CLAMP L
wymiary	10 x 36 mm (frame width x depth) - external dimension 574 x 574 mm; - internal dimension 554 x 554 mm;	10 x 36 mm (frame width x depth) - external dimension 574 x 827 mm; - internal dimension 554 x 807 mm;	10 x 36 mm (frame width x depth) - external dimension 574 x 1144 mm; - internal dimension 554 x 1124 mm;
montaż	inner clamps		
zastosowanie	LightBox S type "B" (with inner clamps)	LightBox M type "B" (with inner clamps)	LightBox L type "B" (with inner clamps)
materiał	aluminium		
kolor	- silver, black - RAL - individual order		
uwagi	1. Necessity to use a holder with distances of min. M 2. Max. thickness of the illuminated material 4,5 mm.		
cena	[PAN.P.R.A10.36.S.S] 24 € [PAN.P.R.A10.36.S.B] 25 €	[PAN.P.R.A10.36.M.S] 30 € [PAN.P.R.A10.36.M.B] 32 €	[PAN.P.R.A10.36.L.S] 33 € [PAN.P.R.A10.36.L.B] 35 €



	FRAME: BEECH S	FRAME: BEECH M	FRAME: BEECH L
wymiary	16 x 43 mm (frame width x depth) - external dimension 582 x 582; - internal dimension 550 x 550 mm;	16 x 43 mm (frame width x depth) - external dimension 582 x 835 mm; - internal dimension 550 x 803 mm;	16 x 43 mm (frame width x depth) - external dimension 582 x 1152 mm; - internal dimension 70 x 1120 mm;
montaż	clamp screws/Allen key		
zastosowanie	LightBox S type "A" oraz typ "B"	LightBox M type "A" oraz typ "B"	LightBox L type "A" oraz typ "B"
materiał	wood		
kolor	- beech; - other wood - individual order;		
uwagi	1. Necessity to use a holder with distances of min. M 2. Max. thickness of the illuminated material 4,5 mm.		
cena	[PAN.P.R.D16.43.M.BK] 67 €	[PAN.P.R.D16.43.M.BK] 87 €	[PAN.P.R.D16.43.M.BK] 100 €



	FRAME SEAL
wymiary	4 x 1,5 mm (width x height) 10 m (length)
cena	[PAN.P.R.UD415.10] 5 €



EXTERNAL CLAMP

EXTERNAL DIMENSIONS OF THE BACKLIT ELEMENT	PANEL 570: 580 x 580 mm PANEL 823: 580 x 833 mm PANEL 1140: 580 x 1150 mm
THICKNESS OF THE BACKLIT ELEMENT	MAX. 16 mm / MIN. 2 mm
SET	1x EXTERNAL CLAMP 1x CLAMP SCREW 1x SCREW FOR METAL
MATERIAL	ALUMINIUM
COLOUR	SILVER, BLACK
PRICE	PAN-P02-030S 7 € PAN-P02-030B



EXTERNAL CLAMP - SET 4 PCS.

EXTERNAL DIMENSIONS OF THE BACKLIT ELEMENT	PANEL 570: 580 x 580 mm PANEL 823: 580 x 833 mm PANEL 1140: 580 x 1150 mm
THICKNESS OF THE BACKLIT ELEMENT	MAX. 16 mm / MIN. 2 mm
SET	4x EXTERNAL CLAMP 4x CLAMP SCREW 4x SCREW FOR METAL
MATERIAL	ALUMINIUM
COLOUR	SILVER, BLACK
PRICE	PAN-P02-030SK 29 € PAN-P02-030BK




SPACER „M”

DISTANCE FROM THE WALL	30 mm
SET	4x
PRICE	PAN-U01-003K 7 €



SPACER „L”

DISTANCE FROM THE WALL	55 mm
SET	4x
PRICE	PAN-U01-004K 9 €



WALL MOUNT (EXL. SPACERS)

DIMENSIONS	330 x 330mm
PRICE	PAN-U01-001 14 €



WALL MOUNT CONNECTOR

DIMENSIONS	80 x 310 mm
PRICE	PAN-U01-005 6 €